



# Product Information Airack™ Glass Dryer Standard







To serve the perfect drink you need a dry glass. The Airack™ will dry a basket of glasses ten times faster than leaving them to air dry on a vented shelf. The usual method in bars for drying glasses is with a cloth or towel. The Airack™ also eliminates the risk of cross-contamination that towel or cloth drying can produce, especially if the towel has been laundered with fabric softener.

The inside of the glass takes the longest to dry and air drying the inside of the glass, especially the nucleus at the base of the glass, is the correct and only practice that should be followed

The Airack™ is designed with a moulded top cover with specially positioned holes that allows the air to circulate inside the upturned warm and wet glass. The Airack™ will leave glasses at an ambient room temperature and cool to touch, resulting in the glasses being ready to use immediately.

The Airack™ comes with a drain funnel tube, automatic timer and a changeable filter.

## **Quick Drying Time**

Air drying a standard pint glass can take up to 40 minutes. Using The Airack™ glasses can be dried 10 times faster. Push the start button and when the cycle has finished, remove the glasses from the basket and your glasses will be dry and ready for immediate use. Taller continental glasses may require more than one cycle.





## **Easy To Install And Use**

The Airack™ is supplied with a 3 pin plug for a wall socket. The drain funnel tube should be placed into a upstand or receptical to drain away any excess water. Simply remove the glass basket from the glasswasher, place the basket onto the top cover and press the start button. The Airack has 1 changeable filter, which can be easily removed and replaced.

## **Faster Glass Rotation**

Do away with towels and cloths and allow The Airack™ to do all the hard work. The ambient temperature of the air flow cools the glasses as they dry which allows a quicker turnaround time.





## **Available In 3 Sizes**

The Airack™ is available in a 40, 45 or 50 size and each size is relevant to the size of glasswasher basket being used. The 40 accommodates any basket measuring up to 40cm² or smaller. The 45 accommodates any basket up to 45cm² or smaller. The 50 accommodates any basket up to 50cm² or smaller.





## Technical Specifications







	Airack Standard 40	Airack Standard 45	Airack Standard 50
Machine Type:	Counter Top	Counter Top	Counter Top
Sizes:	40	45	50
Dimensions (mm):	W460 x H195 x D465	W510 x H195 x D515	W560 x H195 x D565
Electrical:	Single Phase 3 Amp	Single Phase 3 Amp	Single Phase 3 Amp
Machine Finish:	Recycled Plastic	Recycled Plastic	Recycled Plastic
Colours:	Black	Black	Black
Basket / Rack Size:	400mm sq	450mm sq	500mm sq
Baskets / Racks Per Hour:	Up to 15	Up to 15	Up to 15
Baskets / Racks Capacity:	Up to 18 Pint Glasses	Up to 24 Pint Glasses	Up to 30 Pint Glasses
Standard Cycle Time (mins):	4 Minutes	4 Minutes	4 Minutes
Control System:	Electronic	Electronic	Electronic
Manufactured to ISO 9001 :2008:	Yes	Yes	Yes
CE Marked:	Yes	Yes	Yes



## **Siting**

Positioning should be on a sound level surface with adequate clearance for servicing.

The Airack™ can be mounted onto a purpose made basket stand providing optimum working height. It is recommended that if The Airack™ is mounted on a stand then the unit should be placed within close proximity of the glasswasher and no further than one metre from an electrical socket.

## **Electrical**

The Airack<sup>m</sup> is supplied with a 13 Amp plug and can be plugged into a 3 pin plug for a wall socket. The socket must be positioned within one metre of The Airack<sup>m</sup> and be easily accessible.

### Drain

A drain funnel tube is supplied with The Airack™. This is fitted to the unit to remove any excess water build-up resulting from the draining and drying process. The drain funnel tube can be placed into an up-stand or receptacle within 1 metre of the unit.





## **Clenaware Systems Ltd**

44 Huxley Close, Park Farm Industrial Estate, Wellingborough. Northants. NN8 6AB

**Telephone:** 01933 666244 **Fax:** 01933 665584

**Email:** info@clenaware.co.uk **Web:** www.clenaware.co.uk

